

Item
Model
ProjectName



601919

## B3000 450 W

The B3000 provides the best compromise between power, stability in operation and ease of handling thanks to its light weight. B3000 allows mixing, beating, stirring and blending in any area of the kitchen. The cutter and beater attachments have unlimited use with a variety of foodstuff such as soups, creams, sauces, vegetable purees, pancake batter, mousses. It may be used also as a whisk for whipping creams, beating egg whites or making mayonnaise.

### FEATURES

- Convenient grip and adjustable speeds make preparation tasks fast and easy.
- Removable rotor and mechanism enable a complete cleaning of each part.
- Very easy to use, assemble and dismantle (tool clip system).
- Thanks to its electronic speed variator, a quick press with the thumb

on the selector is all you need to change speeds.

- Maximum speed 9000 rpm.
- Designed to be used directly in stew pots up to 100 litre capacity in one operation, even during cooking.
- Its light weight ensures an optimum comfort for the user.
- Safety feature requiring both hands to be used to start mixer (no volt release system).

# Hand held Mixers



**DITO****Electrolux**

- The motor is protected from overload by a terminal fuse (alert system).
- A red luminous indicator flashes when the device is overloaded and the mixer stops automatically to allow cooling.
- The motor has an air cooling system and is protected against overheating (in case of long intensive work).

## Specifications

MODEL	B3T45W45 601919	B3K45W45 601955	B3T55W45 601921	B3M45 601941	B3K55W45 603604
External dimensions - mm					
width	138	138	138	138	138
depth	120	120	120	120	120
height	765	765	865	340	765
Electrical power - kW	0.45	0.45	0.45	0.45	0.45
Net weight - kg.	3.4	4.3	3.5	2.4	3.4
Supply voltage	220...240 V, 1N, 50/60	220...240 V, 1N, 50/60	220...240 V, 1N, 50/60	220...240 V, 1N, 50/60	220...240 V, 1N, 50/60
Motor unit				✓	

## Included accessories

CODE	DESCRIPTION	B3T45W45 601919	B3K45W45 601955	B3T55W45 601921	B3M45 601941	B3K55W45 603604
653556	S/S TUBE 453MM FOR PORTABLE MIXER B3000	1	1			1
653557	S/S TUBE 553MM FOR PORTABLE MIXER B3000			1		
653553	WHISK FOR PORTABLE MIXER B3000		1			


## Optional accessories

CODE	DESCRIPTION	B3T45W45 601919	B3K45W45 601955	B3T55W45 601921	B3M45 601941	B3K55W45 603604
653292	ADJUSTABLE RAIL F.CONTAINERS D.375-650MM	✓	✓	✓	✓	✓
653294	HOLDER FOR PORTABLE MIXER	✓	✓	✓	✓	✓
653554	REINFORCED WHISK - PORTABLE MIXER B3000	✓	✓	✓	✓	✓
653555	S/S TUBE 353MM FOR PORTABLE MIXER B3000	✓	✓	✓	✓	✓
653556	S/S TUBE 453MM FOR PORTABLE MIXER B3000	✓	✓	✓	✓	✓
653557	S/S TUBE 553MM FOR PORTABLE MIXER B3000	✓	✓	✓	✓	✓
653558	S/S TUBE 653MM FOR PORTABLE MIXER B3000	✓	✓	✓	✓	✓
653553	WHISK FOR PORTABLE MIXER B3000	✓	✓	✓	✓	✓



**DITO****Electrolux**

## Installation drawings

**601919, 603604, 601941, 601921, 601955**

MODEL	B3T45W45 601919	B3K45W45 601955	B3T55W45 601921	B3M45 601941	B3K55W45 603604
I - Electrical connection	220...240 V, 1N, 50/60	220...240 V, 1N, 50/60	220...240 V, 1N, 50/60	220...240 V, 1N, 50/60	220...240 V, 1N, 50/60





# Hand held Mixers

The manufacturer reserves the right to modify and make improvements to the products without giving prior warning. Dimensions, illustrations, technical data, weights, etc. are given as an indication only.



[www.dito-electrolux.com](http://www.dito-electrolux.com)

